

GREENBOOK COMMITTEE
NEW MATERIALS AND METHODS SUBCOMMITTEE - SURFACE
ASPHALT TASK FORCE
MINUTES –November 2, 2016

The meeting was called to order at 1:00 PM by Tom Williams.

1. A. Self introductions were made by the participants:
2.

Blaine Thomann	County of Orange	Blaine.thomann@ocpw.ocgov.com
Erik Updyke	L.A. County	Eupdyke@dpw.lacounty.gov
Don Vivant	Sully Miller	Dvivant@sully-miller.com
Pascal Mascarenhas	Vulcan Materials	Mascarenhasp@vmcmail.com
Jerry Bland	Matich Corporation	Jbland@matichcorp.com
Dai Bui	County of L.A.	Dbui@dpw.lacounty.ov
Todd Vargason	ERGON	Todd.vargason@ergon.com
Tom Williams	LaBelle-Marvin	twilliams@labellemarvin.com
Brandon Milar	CalAPA	Bmilar@calapa.net
Van Truong	LADPW	Vtruong@dpw.lacounty.gov
Catherine Dungca	City of San Diego	Cdungca@sandiego.gov (Call in)
Joe Vicelja	Vicelja Engineering	jvicelja@engineer.com (Call in)
Steve Deis	County of Fresno	Sdeis@co.fresno.ca.gov (Call in)
Hudson McLintock	City of San Diego	Dmclintock@sandiego.gov (Call in)
Amir Ghavibazoo	Twining Inc.	Aghavibazoo@twininginc.com (Call in)
Dave Aver	Santa Rosa	Daver@srcity.org (Call in)
Jerry Borja	City of San Diego	Jborja@sandiego.gov (Call in)
3. Minutes from the October 5, 2016 meeting were reviewed. Applicable corrections were made.
4. Old Business
5. New Business
 - a. Change 267NS:
 - Final version prepared.
 - b. Discussion regarding Superpave for local agencies. Ideas discussed.
 - Utilize existing SSPWC gradations.
 - Replace Hveem apparatus with Gyrotory apparatus.
 - Keep target air voids at 4%.
 - Possibly require Hamburg data.
 - Round robin study for recommended gyrations. Secure 2-3 sources. 2-3 mixes from each source. Study gyrations needed for 4% air voids.
 - Further discussion for strength requirement.
 - Goal #1 Verify with Suppliers, Utilize Viscosity charts for compaction temperature.
 - Goal #2 Set up Round Robin.
 - c. Review of change 279NS: Microsurfacing.
5. **Next meeting will be at 1:00 p.m. on WEDNESDAY, DECEMBER 7, 2016, , at the Caltrans Southern Regional Laboratory, 13970 Victoria Street, Fontana, CA 92336**
Location change for this meeting only.