

# NEW MATERIALS AND METHODS UNDERGROUND SUBCOMMITTEE - MINUTES

June 15, 2010

11:00 a.m.

AGC Offices

1906 West Garvey Avenue South, Suite 100  
West Covina, CA 91790

- I. **Call meeting to order – Self introductions** *at 11:10 am*
- II. **Meeting minutes 05/18/10** *Approved*
- III. **Announcements, Correspondence and Summary of GB meeting**  
*Received letter from AJM Pipelines introducing Swage Lining for renewal of Water Transmission and Sewer Force Mains*  
*Passed out Erik Updyke's email regarding change requests and handling for Editorial Standards approval.*
- IV. **Old Business-**
  - A. **Pipe Joint Types & Materials, Table 208-2.2.2(B)** *The committee discussed concrete pipe gaskets and agreed that the ozone concentration needs to be changed to pphm from ppm, and that the number of test hours be increased from 50 hrs to 72 hrs to be consistent with ASTM. However we could not finalize the change until NCPI provides input regarding clay pipe gasket materials.*
  - B. **Section 306 update** *No Action*
- V. **New Business**
  - A. **Section 308-5.2.3 Plastic Pipeline**  
*The City of Escondido sent a letter regarding section 308-5.2.3 Plastic Pipelines – Landscape & Irrigation. They pointed out that the wording for snaking should be 1 foot (.33m) per 100 ft (30m) not 1 foot (1m) per 100 ft (30m). We agreed, the change will be forwarded to the Editorial Chair.*  
  
*Discussed Proprietary and Sole Source Products and passed out Greenbook approved request for Change form that contains wording to used when a product is Proprietary or Sole Source.*
- VI. **Next Meeting – July 13, 2010 at 11:00 a.m.**
- VII. **Adjournment – 12:30 pm**